Index

Subject

α-smooth muscle actin expression in basal cell epithelioma and surrounding stroma, 189
acantholysis, cantharidin-induced, 148
acitretin
  in lamellar ichthyosis, 211
  in palmoplantar lichen nitidus (Case Report), 791
  and relapse of psoriasis related to cyclosporin A tapering (Correspondence), 257
acne
  comparison of triamcinolone and cryosurgery in treatment of keloids, 498
  desmosomes in, 731
  expression of tenascin and fibronectin in, 576
  inhibition of erythromycin-resistant propionibacteria, 329
acquired bullous diseases of childhood, diagnosis, 610
actin, α-smooth muscle, expression in basal cell epithelioma and surrounding stroma, 189
acute chemical skin injury models, 725
AEC syndrome, similarity to Rapp–Hodgkin syndrome (Case Report), 97
AIDS, cutaneous manifestations of mycobacterial infection (Case Report), 111
alcohol consumption and psoriasis, 473
algodystrophy and hypertrichosis (Case Report), 777
N-alkyl sulphate, assessment of cytotoxicity in human keratinocytes, 18
alopecia areata
  DEBR model, development of cellular infiltrate in pelage follicles, 405
  tissue iron status (Correspondence), 261
δ–amino levulinic acid in non-melanoma malignant tumours, 743
amputation sites, follicular keratoses (Case Report), 770
angiomatosis, bacillary, in lymphocytic leukaemia (Case Report), 665
antifungals, relevance of broad-spectrum and fungicidal activity, Suppl. 43, 7
antiphospholipid syndrome, cutaneous necrosis associated (Case Report), 92
apolipoprotein, serum levels in psoriasis, 738
arachnidism, necrotic cutaneous (Correspondence), 542
atopic dermatitis
  cyclosporin A in, 634
  dietary supplementation with very long-chain *n*-3 fatty acids, 757
  follow-up of children treated with Chinese medicinal herbs, 488
  interferon-alpha treatment and oral hyposensitization (Correspondence), 134
  maintenance treatment with cyclosporin, 376
  release of GM-CSF in response to dust mite antigen (Correspondence), 127
atopic disease, screening for, 752
Australia
  naevi in schoolchildren, 599
  prevalence of polymorphic light eruption, 62
autosomal recessive epidermolysis bullosa simplex (Case Report), 115

B cells, polyclonal, massive infiltration in cutaneous T-cell lymphoma (Case Report), 226
bacillary angiomatosis in lymphocytic leukaemia (Case Report), 665
basal cell carcinoma
  cytology in diagnosis, 561
  immunohistochemical analysis of regression, 1
  Langerhans cells analysis, 273
basal cell epithelioma, expression of α-smooth muscle actin in, 189
basic fibroblast growth factor, expression in naevus cell naevus and melanoma, 320
bee stings, multiple, foreign-body granuloma and IgE-pseudolymphoma after (Case Report), 780
benzoyl peroxide, anti-inflammatory actions, 569
biglycan expression in disorders of keratinization, 564
bioengineering techniques, non-invasive, in detection of irritation in human skin, 29
black piedra, treatment with terbinafine, Suppl. 43, 26
Blaschko's lines, melanotic macules following in McCune–Albright syndrome (Case Report), 215
blue naevi associated with partial unilateral lentiginosis (Case Report), 390
Book Reviews
  Ackerman's Histologic Diagnosis of Neoplastic Skin Diseases: A method by pattern analysis. Neoplasms with Follicular Differentiation. A.B. Ackerman, P.A. de Viragh and N. Chongchitnant, 136
  A Manual of Dermatology for Developing Countries. O. Canizares, 266
  Atlas of Normal Human Skin. W.Montagna, A.M.Kligman and K.S.Carlisle, 264
  Clinical Photomedicine. Edited by H.W.Lim and N.Soter, 691
  Clinical Signs and Procedures in Dermatology. R.Marks, P.J.Dykes and R.Motley, 802
  Color Atlas of Dermatology. J.P.Callan, K.E.Greer, A.F.Hood, A.S.Paller and L.J.Swinyer, 690
  Connective Tissue and its Heritable Disorders: Molecular, Genetic and Medical Aspects. Edited by P.M.Royce and B.Steinmann, 691

Connective Tissue Diseases of the Skin. Edited by C.M.Lapière and T.Krieg, 547
Dermatology—Progress and Perspective. Edited by W.H.C.Burgdorf, S.I. Katz, A.F. Hood, F.D. Malkinson, M.S.Peters, J.K.Robinson and R.Swerlick, 690
From Molecular Biology to Therapeutics. Edited by B.A.Bernard and B.Shroot, 403
Fungal Infection: Diagnosis and Management. M.Richardson and D.W.Warnock, 690
Geriatric Dermatology: Color Atlas and Practitioner's Guide. E.M. Young, V.D. Newcomer and A.M. Kligman, 136
Health Risk Assessment. Dermal and Inhalation Exposure and Absorption of Toxicants. Edited by R.G.M. Wang, J.B.Knaak and H.I.Maibach, 264
Leg Ulcers: Diagnosis and treatment. Edited by W.Westerhof, 802
Molecular Aspects of Dermatology. Edited by G.C.Priestley, 547
Oxidative Stress in Dermatology. Edited by J.Fuchs and L.Packer, 265
Pediatric Dermatology and Dermatopathology, Vol. II. R.Caputo, A.B.Ackerman and E.Q. Sison-Torre, 264
Pharmaceutical Skin Penetration Enhancement. Edited by K.A.Walters and J.Hadgraft, 265
Primer of Dermatopathology. A.F.Hood, T.H.Kwan, M.C.Mihm and T.D.Horn, 137
Surgical Dermatology—Advances in Current Practice. Edited by R.K.Roenigk and H.H.Roenigk, 264
The Biology of the Epidermis: Molecular and Functional Aspects. Edited by A.Ohkawara and J.McGuire, 547
Topical Glucocorticoids with Increased Benefit/Risk Ratio. Edited by H.C.Korting and H.I.Maibach, 802
Vulvovaginitis. Edited by P.Elsner and J.Martius, 136
Year Book of Dermatologic Surgery. Edited by N.A.Swanson, R.G.Golgau and S.J.Salasche, 802
Bowen's disease, body site distribution, 714
British Photodermatology Group, guidelines for PUVA, 246
bullous dermolysis of the newborn, transient (Correspondence), 685
bullous pemphigoid
  cytokine profile (Correspondence), 128
  target antigens (Case Report), 241
Buschke–Loewenstein tumour, infiltration of pelvic organs (Case Report), 221
buserelin, response of progesterone-induced urticaria to (Case Report), 121
butchers' warts, 9
  HPV7 transmission, 15

calcipotriol
  effect on response of psoriasis to PUVA, 79
  in epidermolytic palmoplantar keratoderma of Vörner (Correspondence), 543
  hypercalcaemia during treatment with (Correspondence), 795
  immunosuppressive effects on epidermal cells, 424
  in psoriasis of the scalp, 483
  topical treatment of pityriasis rubra pilaris (Case Report), 675
calcium, maintenance of epidermal gradient and integrity of permeability barrier, 139
calmodulin, effect of benzoyl peroxide on activity, 569
Canesten *see* clotrimazole
cantharidin, acantholysis induced by, 148
carcinoma, proton radiotherapy, 88
cetirizine, and blocking of transmigration of eosinophils at postcapillary venules (Correspondence), 401
Chinese herbal remedies
  follow-up of children treated for atopic eczema, 488
  oral dexamethasone as (Correspondence), 261
chronic dermatitis of the hands, cyclosporin A treatment, 75
clotrimazole, comparison with terbinafine in tinea pedis, Suppl. 43, 12
collagens
  messenger RNAs for in normal and hypertrophic scars, 453
  neonatal retention of type VII (Correspondence), 685
congenital dermal sinus with intracranial dermoid cyst (Case Report), 235
connective tissue naevus with pseudo-Hurler polydystrophy (Case Report), 528
contact allergy to corticosteroids, 42
contact urticaria induced by mexiletine hydrochloride in a patient receiving iontophoresis (Correspondence), 538
coping skills (Correspondence), 798
copper vapour laser in treatment of port wine stains, 478
corticosteroids, contact allergy to, 42
creatine kinase, serum and blister fluid levels in toxic epidermal necrolysis, 337
cryosurgery
  in granuloma annulare, 494
  in treatment of acne keloids, 498
cutaneous T-cell lymphoma
  anti-T-cell receptor variable region antibody panel in, 595
  massive co-infiltration of polyclonal B cells (Case Report), 226
  syringotropic (Case Report), 765
cyclosporin A
  in atopic dermatitis, 634
  efficacy and safety
    in chronic plaque psoriasis, 366
    of longer-term lower-dose (Correspondence), 681
  and inhibition of keratinocyte cytokine gene expression, 312
  maintenance treatment in atopic eczema, 376
  and response of uninvolved skin of psoriatic patients to tape stripping, 181
  in treatment of chronic dermatitis of the hands, 75
cysts, need for histopathological examination (Correspondence), 133
cytokines
  inhibition of expression in keratinocytes by cyclosporin A, 312
  profile in patients with bullous pemphigoid (Correspondence), 128

Darier's sign associated with non-Hodgkin's lymphoma (Correspondence), 126
decorin expression in disorders of keratinization, 564
dermatomycoses
  epidemiology, Suppl. 43, 9
  relevance of broad-spectrum and fungicidal activity of antifungals, Suppl. 43, 7
dermatomyositis
  juvenile, treatment with intravenous gammaglobulin (Case Report), 231
  and metastatic malignant melanoma (Correspondence), 796
dermatophyte infections, short duration terbinafine 1% cream treatment, 83
dermoid cyst, intracranial, and congenital dermal sinus (Case Report), 235
desmosomes in acne, 731
dexamethasone, oral, as Chinese herbal remedy (Correspondence), 261
1,25-dihydroxyvitamin D3, immunosuppressive effects on epidermal cells, 424
doxycycline, phototoxic potency, 356
drugs, pustular eruption after exposure to (Case Report), 514
dust mite antigen, release of GM-CSF in response to in atopic dermatitis (Correspondence), 127
dyskeratosis congenita in a female (Case Report), 520

electrical impedance in detection of irritation in human skin, 29
electron beam therapy
  in scleredema adultorum with associated monoclonal hypergammaglobulinaemia (Case Report), 394
  and wound repair in rat skin, 551
emollients
  comparative study of frictional properties of bath additives, 37
  photoprotective action in ultraviolet therapy of psoriasis, 361
endothelin-1 expression in necrobiosis lipoidica and granuloma annulare (Correspondence), 799
England, prevalence of polymorphic light eruption, 62
eosinophils, blocking of transmigration at post-capillary venules by cetirizine (Correspondence), 401
epidermal growth factor in tripe palms (Correspondence), 686
epidermolysis bullosa dystrophica inversa, recessive (Correspondence), 685
epidermolysis bullosa pruriginosa, 617
epidermolysis bullosa simplex, autosomal recessive (Case Report), 115
epidermolytic palmoplantar keratoderma of Vörner, calcipotriol in, 543
erythema migrans, solitary, 466
erythromycin, with/without zinc, and inhibition of erythromycin-resistant propionibacteria in acne, 329
erythropoietic protoporphyria, hepatic complications (Correspondence), 258
eye lesions in cutaneous juvenile xanthogranuloma (Correspondence), 260

fatty acids
  analysis of polyunsaturated in newborn sera, 752
  dietary supplementation with very long-chain *n*-3 in atopic dermatitis, 757
fibrokeratoma, invaginated with matrix differentiation (Case Report), 654
fibronectin expression in acne vulgaris, 576
flashlamp-pumped pulsed tunable dye laser in treatment of port wine stains, 478
focal facial dermal dysplasia, genetic homogeneity with Setleis' syndrome (Case Report), 645
follicular keratoses at amputation sites (Case Report), 770
follicular papillae, isolation and culture from murine vibrissae, 290
folliculitis, tufted hair (Correspondence), 259
forearms, correlations of parameters between dominant and non-dominant, 325
foreign-body granuloma after multiple bee stings (Case Report), 780

gammaglobulin, intravenous in juvenile dermatomyositis (Case Report), 231
germ cell tumour associated with malignant melanoma (Correspondence), 129
granulocyte/macrophage colony-stimulating factor release in atopic dermatitis in response to dust mite antigen (Correspondence), 127
granuloma annulare
  cryosurgery in, 494
  endothelin-1 expression (Correspondence), 799

haemorrhagic cellulitis associated with tumour necrosis factor-α, 65
hair, subungual implantation in hairdressers (Correspondence), 400
hair follicles, hair fibre production in whole-organ culture, 415
hairdressers, subungual hair implantation (Correspondence), 400
hands, cyclosporin A treatment in chronic dermatitis, 75
harlequin siblings, management and follow-up (Case Report), 650
Harman, Roger R.M., obituary, 679
hereditary angio-oedema, protein S deficiency in lupus erythematosus secondary to (Case Report), 381
hereditary multiple exostoses associated with psoriasis (Case Report), 671
herpetiform pemphigus, thiopronine-induced (Case Report), 238
HIV-1 infection and epidermal Langerhans cells in psoriasis, 307
human papillomaviruses
  new types, 158
  person-to-person transmission of HPV7, 15
hydroxyurea, lupus erythematosus induced by (Correspondence), 687
hypercalcaemia during treatment with calcipotriol (Correspondence), 795

hypertrichosis and algodystrophy (Case Report), 777

IgE-pseudolymphoma after multiple bee stings (Case Report), 780
IL-2
  peritumoral injection in metastatic malignant melanoma (Correspondence), 541
  in suppression of murine melanoma, 717
IL-6, inflammatory skin eruption associated with recombinant human (Case Report), 534
immunodeficiency disorders, primary, cutaneous sarcoid-like granulomas in (Case Report), 118
inclusion warts, classification, 158
integrin expression in human nail matrix, 583
interferon alpha therapy in severe atopic dermatitis (Correspondence), 134
interferon alpha-2b in keloids (Correspondence), 683
intracytoplasmic inclusion bodies, 158
iontophoresis, and induction of contact urticaria by mexiletine hydrochloride (Correspondence), 538
iron, tissue status in alopecia areata (Correspondence), 261
irritation, detection in human skin, 29
itraconazole
  comparison with terbinafine in tinea imbricata, Suppl. 43, 29
  comparison with terbinafine in tinea pedis, Suppl. 43, 22
  evaluation of antifungal effects using neutral red staining, Suppl. 43, 4

juvenile dermatomyositis, treatment with intravenous gammaglobulin (Case Report), 231
juvenile pemphigoid nodularis (Correspondence), 125
juvenile xanthogranuloma, ocular lesions (Correspondence), 260

keloids
  comparison of triamcinolone and cryosurgery, 498
  intralesional interferon α-2b treatment (Correspondence), 683
keratinization disorders
  expression of tenascin, biglycan and decorin, 564
  topical treatment of monogenic (Correspondence), 546
keratinocytes
  assessment of N-alkyl sulphate-induced cytotoxicity, 18
  comparative study of cytotoxicity of skin irritants, 24
  inhibition of cytokine gene expression by cyclosporin A, 312
  modulation of proliferation by nerve growth factor, 174
keratosis pilaris, natural history, 711
Klinefelter's syndrome with leg ulcers, plasma activity of plasminogen activator inhibitor 1 (Case Report), 641

lamellar ichthyosis, acitretin treatment, 211
Lamisil *see* terbinafine
Langerhans cell histiocytosis, nail features (Case Report), 523
Langerhans cells
  analysis in basal cell carcinoma, 273
  in psoriatic epidermis, and HIV-1 infection, 307
larva migrans, cutaneous (Correspondence), 546
lasers
  in non-melanoma malignant tumours, 743
  in treatment of penile melanosis (Case Report), 663
  in treatment of port wine stains, 478
lentiginosis, partial unilateral, association with blue naevi (Case Report), 390
lichen planus, oral in childhood (Correspondence), 131
lichen planus pemphigoides (Correspondence), 537
life events and psoriasis 473, (Correspondence), 798
linear IgA dermatosis related to vancomycin (Correspondence), 130
lipid, serum levels in psoriasis, 738
liver complications related to erythropoietic protoporphyria (Correspondence), 258
lupus erythematosus
  hydroxyurea-induced (Correspondence), 687
  neonatal, in twins discordant for congenital heart block, 342
  secondary to hereditary angio-oedema, protein S deficiency (Case Report), 381
lymecycline, phototoxic potency, 356
lymphocytic leukaemia, bacillary angiomatosis in (Case Report), 665

McCune–Albright syndrome, melanotic macules following Blaschko's lines (Case Report), 215
macrophages, epithelium-lining in psoriasis, 589
magnetic resonance imaging in diagnosis of tumours of nail apparatus, 701
malignant melanoma
  association with germ cell tumour (Correspondence), 129
  evaluation of revised seven-point checklist for early diagnosis, 48
  excised in general practice, profile of, 57
  expression of basic fibroblast growth factor, 320
  metastatic
    and dermatomyositis (Correspondence), 796
    regression induced by peritumoral IL-2 injection (Correspondence), 541
  reliability of naevus count in identifying individuals at high risk, 51
  suppression by microwave hyperthermia and IL-2 injection, 717
  surface microscopy, 349
malignant tumours, non-melanoma, photodynamic therapy, 743
melanonychia induced by minocycline (Correspondence), 794
melanosis, penile, laser treatment (Case Report), 663
melanotic macules following Blaschko's lines in McCune–Albright syndrome (Case Report), 215
methotrexate, long-term therapy in psoriasis, 204
mexiletine hydrochloride, contact urticaria induced by in a patient receiving iontophoresis (Correspondence), 538
microwave hyperthermia in suppression of murine melanoma, 717
mid-dermal elastolysis (Case Report), 502

milia, congenital in the nasal groove (Correspondence), 800
minocycline, longitudinal melanonychia induced by (Correspondence), 794
mycobacterial infection, cutaneous
  in AIDS (Case Report), 111
  in systemic lupus erythematosus (Case Report), 785
mycosis fungoides
  cutaneous necrosis associated (Case Report), 92
  response of follicular to radiation therapy (Correspondence), 256
  variant (Case Report), 765

naevi
  counts in identification of high risk for malignant melanoma, 51
  in schoolchildren in Scotland and Australia, 599
  surface microscopy, 349
naevus cell naevus, expression of basic fibroblast growth factor, 320
nails
  determinants of thickness and length, 195
  expression of integrins in matrix, 583
  features in Langerhans cell histiocytosis (Case Report), 523
  magnetic resonance imaging in tumour diagnosis, 701
  psoriatic pitting in infancy (Correspondence), 800
nasal groove, congenital milia (Correspondence), 800
necrobiosis lipoidica, endothelin-1 expression (Correspondence), 799
necrotic cutaneous arachnidism (Correspondence), 542
neonatal lupus erythematosus, in twins discordant for congenital heart block, 342
nerve growth factor and modulation of keratinocyte proliferation, 174
neurofibromatosis, segmental (Case Report), 106
neutral lipid storage disease (Case Report), 507
non-Hodgkin's lymphoma, Darier's sign associated (Correspondence), 126

ocular lesions in cutaneous juvenile xanthogranuloma (Correspondence), 260
onychomycosis
  cost-effectiveness analysis of therapy, Suppl. 43, 32
  epidemiology, Suppl. 43, 9
  with involvement of non-dermatophytic fungi, terbinafine in, Suppl. 43, 16
  more than cosmetic problem, Suppl. 43, 15
  multinational pharmacoeconomic analysis of oral therapies, Suppl. 43, 35
orf virus infection, immune responses to, 438
ornithine decarboxylase induction in models of acute skin injury, 725

Paget's disease, extramammary, depigmented macules as sole manifestation (Case Report), 102
palmoplantar lichen nitidus, acitretin treatment (Case Report), 791
papuloerythroderma of Ofuji (Case Report), 773
pemphigoid nodularis, juvenile (Correspondence), 125
penile melanosis, laser treatment (Case Report), 663
pentoxifylline in treatment of toxic epidermal necrolysis (Correspondence), 688
permeability barrier, integrity and maintenance of epidermal calcium gradient, 139
phosphorylase kinase activity in psoriatic epidermis, 298
photodamage, evaluation using a photographic scale, 167
photodynamic therapy in non-melanoma malignant tumours, 743
pigmented skin lesions, application of artificial neural network in epiluminescence microscopy pattern analysis, 460
pityriasis rubra pilaris, topical treatment with calcipotriol (Case Report), 675
plasminogen activator inhibitor 1, plasma activity in Klinefelter's syndrome complicated by leg ulcers (Case Report), 641
polymorphic light eruption, prevalence in Australia and England, 62
port wine stains, laser treatments compared, 478
progesterone, response to buserelin of urticaria induced by (Case Report), 121
propionibacteria, erythromycin-resistant in acne, inhibition by erythromycin with/without zinc, 329
protein kinase C, effect of benzoyl peroxide on activity, 569
protein S deficiency in lupus erythematosus secondary to hereditary angio-oedema (Case Report), 381
proton radiotherapy of skin carcinomas, 88
pseudo-Hurler polydystrophy with connective tissue naevus (Case Report), 528
psoriasis
  association with hereditary multiple exostoses (Case Report), 671
  chronic severe plaque, efficacy and safety of oral cyclosporin A, 366
  comparative effects of calcipotriol and placebo on scalp, 483
  effect of calcipotriol on response to PUVA, 79
  epidermal Langerhans cells and HIV-1 infection, 307
  epithelium-lining macrophages in, 589
  hypercalcaemia during treatment with calcipotriol (Correspondence), 795
  and life events, 473, (Correspondence), 798
  long-term methotrexate treatment, 204
  mapping of susceptibility gene (Case Report), 671
  nail pitting in infancy (Correspondence), 800
  non-prevention of relapse related to cyclosporin A tapering by acitretin (Correspondence), 257
  phosphorylase kinase activity in epidermis, 298
  photoprotective action of emollients in ultraviolet therapy, 361
  pustular (Case Report), 514
  relationship of onset or exacerbation with stress, 199
  response of uninvolved skin to tape stripping during cyclosporin A treatment, 181
  serum lipid and apolipoprotein levels in, 738
  smoking, alcohol and life events related to, 473
pustular eruption after drug exposure (Case Report), 514

PUVA
effect of calcipotriol on response of psoriasis to, 79
guidelines from British Photodermatology Group (Case Report), 246
prediction of minimal phototoxic dose, 604
pyoderma gangrenosum and subcorneal pustular dermatosis (Correspondence), 398

Q-switched ruby laser in treatment of penile melanosis (Case Report), 663

radiation therapy
proton, 88
response of follicular mycosis fungoides (Correspondence), 256
Rapp–Hodgkin syndrome, similarity to AEC syndrome (Case Report), 97
recessive congenital ichthyosis type I, features, 626

sarcoidosis, pulmonary, presenting as a granulomatous tattoo reaction (Case Report), 658
scar tissue
messenger RNAs for collagens in normal and hypertrophic, 453
neuropeptide-containing nerves in painful hypertrophic, 444
silicone gel treatment following toxic epidermal necrolysis (Correspondence), 540
scleredema adultorum with associated monoclonal hypergammaglobulinaemia, electron beam therapy (Case Report), 394
scleredema of Buschke, fatal (Case Report), 669
Scotland, naevi in schoolchildren, 599
segmental neurofibromatosis (Case Report), 106
Setleis' syndrome, genetic homogeneity with focal facial dermal dysplasia (Case Report), 645
silicone gel in treatment of hypertrophic scarring following toxic epidermal necrolysis (Correspondence), 540
smoking and psoriasis, 473
Still's disease, adult (Case Report), 511
stress and onset or exacerbation of psoriasis, 199
subcorneal pustular dermatosis and pyoderma gangrenosum (Correspondence), 398
sweat gland carcinoma, myoepithelial cells in, 432
syringotropic cutaneous T-cell lymphoma (Case Report), 765
systemic lupus erythematosus
in association with ulcerative colitis (Case Report), 385
Mycobacterium avium complex skin infection (Case Report), 785
systemic sclerosis, oropharyngeal deglutition abnormalities in (Correspondence), 682

T cells, distribution and density of gamma-delta during induced hair cycle, 281
tape stripping, response of uninvolved skin of psoriatic patients to during cyclosporin A treatment, 181
tattoo reaction as presentation of pulmonary sarcoidosis (Case Report), 658
tenascin
expression in acne vulgaris, 576
expression in disorders of keratinization, 564
terbinafine
comparison with clotrimazole in tinea pedis, Suppl. 43, 12
comparison with itraconazole in tinea imbricata, Suppl. 43, 29
comparison with itraconazole in tinea pedis, Suppl. 43, 22
evaluation of antifungal effects using neutral red staining, Suppl. 43, 4
global overview, Suppl. 43, 1
in onychomycosis with involvement of non-dermatophytic fungi, Suppl. 43, 16
short duration treatment in dermatophyte infections 83
in treatment of black piedra, Suppl. 43, 26
tetracyclines, differences in phototoxic potency, 356
thiopronine, herpetiform pemphigus induced by (Case Report), 238
tinea imbricata, comparison of terbinafine with itraconazole, Suppl. 43, 29
tinea pedis
comparison of terbinafine with clotrimazole, Suppl. 43, 12
comparison of terbinafine with itraconazole, Suppl. 43, 22
toxic epidermal necrolysis
pentoxifylline treatment (Correspondence), 688
serum and blister fluid levels of creatine kinase, 337
silicone gel treatment of hypertrophic scarring following (Correspondence), 540
triamcinolone in treatment of acne keloids, 498
Trichophyton tonsurans kerion (Correspondence), 683
tripe palms, epidermal growth factor in (Correspondence), 686
tufted hair folliculitis (Correspondence), 259
tumour necrosis factor-α associated with haemorrhagic cellulitis, 65

ulcerative colitis in association with systemic lupus erythematosus (Case Report), 385
ultraviolet irradiation
effects on viral infections (Review), 693
photoprotective action of emollients in psoriasis, 361
urticaria, progesterone-induced, response to buserelin (Case Report), 121

vancomycin, linear IgA dermatosis related to (Correspondence), 130
vibrissae, murine, isolation and culture of follicular papillae, 290
viral infections, effects of ultraviolet irradiation on (Review), 693
visual scoring in detection of irritation in human skin, 29

warts, butchers', 9
and HPV7 transmission, 15

Authors

ABADIA MOLINA, F. *see* BURROWS, N.P.

ABANMI, A. *see* JOSHI, R.K.

ABANMI, A, JOSHI, R.K., ATUKORALA, D.N., PEDERSEN, N.B. and AL KHAMIS, O. Autosomal recessive epidermolysis bullosa simplex. A case report, 115

ABEYWICKRAMA, K.H. *see* LABURTE, C.

ABI-RACHED, J. *see* LABURTE, C.

ABRAM, W.P. *see* WANG, Q.

AGACHE, P. *see* TREFFEL, P.

AKINDURO, O.M. and BURGE, S.M. Congenital milia in the nasal groove, 800

AKINDURO, O.M., VENNING, V.A. and BURGE, S.M. Psoriatic nail pitting in infancy, 800

AL' ABADIE, M.S., KENT, G.G. and GAWKRODGER, D.J. The relationship between stress and the onset and exacerbation of psoriasis and other skin conditions, 199

AL AWADI, T. *see* JOSHI, R.K.

AL DUSARI, S. *see* PRASAD, R.S.

AL KHAMIS, O. *see* ABANMI.A

AL-GHAMDI, A. *see* KEEFE, M.

ALKEMADE, J.A.C. *see* VAN DUIJNHOVEN-AVONTUUR, W.M.G.

ALLEN, B.R. *see* SCERRI, L.

ANDERSSON, T. *see* SVANBERG, K.

ANDERSSON-ENGELS, S. *see* SVANBERG, K.

ANDRAC, L. *see* ANGELI-BESSON, C.

ANGELI-BESSON, C., KOEPPEL, M.C., JACQUET, P., ANDRAC, L. and SAYAG, J. Electron-beam therapy in scleredema adultorum with associated monoclonal hypergammaglobulinaemia, 394

ARIKIAN, S.R., EINARSON, T.R., KOBELT-NGUYEN, G., SCHUBERT, F. and THE ONYCHOMYCOSIS STUDY GROUP. A multinational pharmacoeconomic analysis of oral therapies for onychomycosis, Suppl. 43, 35

ARIKIAN, S.R. *see* EINARSON, T.R.

ARNOLD, W.P. *see* GERRITSEN, M.J.P.

ARRIVE, L. *see* GOETTMANN, S.

ATHERTON, D.J. *see* JUDGE, M.R.

ATHERTON, D.J. *see* SHEEHAN, M.P.

ATUKORALA, D.N. *see* ABANMI, A

ATUKORALA, D.N. *see* JOSHI, R.K.

BAGOT, M., CHARUE, D., LESCS, M.-C., PAMPHILE, R and REVUZ, J. Immunosuppressive effects of 1,25-dihydroxyvitamin D_3 and its analogue calcipotriol on epidermal cells, 424

BARAN, R. *see* PERRIN, C.

BARBARESCHI, M. *see* CAMBIAGHI, S.

BARIETY, J. *see* PIKETTY, C.

BARKER, J.N.W.N. *see* ROSBOTHAM, J.L.

BARNETSON, R.STC. *see* HUNT, M.J.

BASUKI, J. *see* BUDIMULJA, U.

BÉANI, J.-C. *see* LARNIER, C.

BELAICH, S. *see* GOETTMANN, S.

BELANYI, PH. *see* VERDIER-SEVRAIN, S.

BERG, R. *see* SVANBERG, K.

BERGFELT, L., EMILSON, A., LINDBERG, M. and SCHEYNIUS, A. Quantitative and 3-dimensional analysis of Langerhans cells in basal cell carcinoma. A comparative study using light microscopy and confocal laser scanning microscopy, 273

BHOGAL, B. *see* KIRTSCHIG, G.

BINDER, M., STEINER, A., SCHWARZ, M., KNOLLMAYER, S., WOLFF, K. and PEHAMBERGER, H. Application of an artificial neural network in epiluminescence microscopy pattern analysis of pigmented skin lesions: a pilot study, 460

BISSON, S. *see* BLUME-PEYTAVI, U.

BITTOUN, J. *see* GOETTMANN, S.

BJELLERUP, M. and LJUNGGREN, B. Differences in phototoxic potency should be considered when tetracyclines are prescribed during summer-time. A study on doxycycline and lymecycline in human volunteers, using an objective method for recording erythema, 356

BJØRNEBOE, G.E.Aa *see* SØYLAND, E.

BLACK, M.M. *see* KIRTSCHIG, G.

BLUME-PEYTAVI, U., ZOUBOULIS, CH.C., JACOBI, H., SCHOLZ, A., BISSON, S. and ORFANOS, C.E. Successful outcome of cryosurgery in patients with granuloma annulare, 494

BOEDEKER, R.-H. *see* NILLES, M.

BOJAR, R.A., EADY, E.A., JONES, C.E., CUNLIFFE, W.J. and HOLLAND, K.T. Inhibition of erythromycin-resistant propionibacteria on the skin of acne patients by topical erythromycin with and without zinc, 329

BOON, M.E. *see* BOSCH, M.M.C.

BORKA, I. *see* TÖRÖK, L.

BORKENSTEIN, M. *see* RIEGER, E.

BOS, J.D. *see* DOOMS-GOOSSENS, A.

BOSCH, M.M.C. and BOON, M.E. Profile of the malignant melanoma excised in general practice, 57

BOURKE, J.F. *see* HEALSMITH, M.F.

BOYLE, S. *see* LEVINE, T.S.

BRAMONO, S. *see* BUDIMULJA, U.

BRAUTIGAM, M. *see* NOLTING, S.

BRITISH PHOTODERMATOLOGY GROUP, British Photodermatology Group Guidelines for PUVA, 246

BROWN, T.C. *see* LARNIER, C.
BUDIMULJA, U., KUSWADJI, K., BRAMONO, S., BASUKI, J., JUDANARSO, L.S., UNTUNG, S., WIDAGDO, S., ROHPRABOWO, WYDIANTO, KOESANTO, D. and WIDJANARKO, P. A double-blind, randomized, stratified controlled study of the treatment of tinea imbricata with oral terbinafine or itraconazole, Suppl. 43, 29
BURGE, S.M. *see* AKINDURO, O.M.
BURGE, S.M. *see* YELL, J.A.
BURNSTOCK, G. *see* CROWE, R.
BURROWS, N.P., ABADIA MOLINA, F., TERENGHI, G., POLAK, J.M. and RUSSELL-JONES, R. Endothelin-1 expression is not altered in necrobiosis lipoidica and granuloma annulare, 799
BURY, H.P.R. *see* KO, C.B.
BYLES, J.E., HENNRIKUS, D., SANSON-FISHER, R. and HERSEY, P. Reliability of naevus counts in identifying individuals at high risk of malignant melanoma, 51

CAIRO, I. *see* KUIPER, H.
CALLAN, N.A. *see* WATSON, R.M.
CAMBIAGHI, S., TADINI, G., BARBARESCHI, M., MENNI, S. and CAPUTO, R. Rapp–Hodgkin syndrome and AEC syndrome: are they the same entity?, 97
CAMELI, N., PICARDO, M., TOSTI, A., PERRIN, C., PISANI, A. and ORTONNE, J.P. Expression of integrins in human nail matrix, 583
CAMP, R.D.R. *see* HOLDER, J.E.
CAMPBELL, I. *see* MCHENRY, P.M.
CAPUTO, R. *see* CAMBIAGHI, S.
CAREY, A. *see* KEEFE, M.
CARR, K.E. *see* WANG, Q.
CASANOVA, J.M. *see* PUJOL, R.M.
CASTANET, J. *see* LACOUR, J.-P.
CAUX, F., CHOSIDOW, O., PHILIPPON, C., ROUJEAU, J.C. and REVUZ, J. Increased serum and blister fluid levels of creatine kinase in patients with toxic epidermal necrolysis, 337
CHARUE, D. *see* BAGOT, M.
CHINI, L. *see* GALLI, E.
CHIU, H.-C. *see* WONG, T.-W.
CHO, K.H. *see* EUN, H.C.
CHOSIDOW, O. *see* CAUX, F.
CHUNG, J.H. *see* EUN, H.C.
CLAYTON, Y.M. Relevance of broad-spectrum and fungicidalactivity of antifungals in the treatment of dermatomycoses, Suppl. 43, 9
CLAYTON, Y.M. and HAY, R.J. Epidemiology of fungal skin and nail disease: Roundtable Discussion held atDermatology 2000, Vienna, 17 May 1993, Suppl. 43, 7
COGGON, D. *see* KEEFE, M.
COLEMAN, N. *see* STERLING, J.C.
COLLET, E., DALAC, S., MAERENS, B., COURTOIS, J.M., IZAC, M. and LAMBERT, D. Juvenile dermatomyositis: treatment with intravenous gammaglobulin, 231
COLLINS, P., EVANS, A.T., GRAY, W. and LEVISON, D.A. Pulmonary sarcoidosis presenting as a granulomatous tattoo reaction, 658
COLVER, G.B. *see* LEWIS, F.M.
COOKE, B.E. *see* HUNT, M.J.
COOPER, B.W. *see* FLEMING, T.E.
COOPERMAN, A. *see* HENG, M.C.Y.
CORBETT, M. *see* PAO, C.
COTTERILL, J.A. *see* LAYTON, A.M.
COTTERILL, J.A. *see* SHEEHAN-DARE, R.A.
COURTOIS, J.M. *see* COLLET, E.
COX, N.H. Body site distribution of Bowen's disease, 714
CRAMP, M. *see* INWALD, D.
CROWE, R., PARKHOUSE, N., MCGROUTHER, D. and BURNSTOCK, G. Neuropeptide-containing nerves in painful hypertrophic human scar tissue, 444
CUNLIFFE, W.J. *see* BOJAR, R.A.
CUNLIFFE, W.J. *see* KNAGGS H.E.
CUNLIFFE, W.J. *see* LAYTON, A.M.
CUNLIFFE, W.J. *see* YEE, K.C.
CURCO, N. *see* SAIS, G.
CURRIE, J. *see* WHITE, M.I.
CZARNETZKI, B.M. *see* HERMES, B.
CZARNETZKI, B.M. *see* PAUS, R.

DAGG, J.H. *see* DOUGLAS, F.
DALAC, S. *see* COLLET, E.
DANKERT, J. *see* KUIPER, H.
DAPLING, R.B. and NELSON, M.E. Ocular lesions in patients with cutaneous juvenile xanthogranuloma, 260
DARLEY, C.R. *see* DERRICK, E.K.
DAWBER, R. *see* DE BERKER, D.
DAWBER, R.P.R. *see* MALLON, E.
DE ALMEIDA, O.P. *see* SCULLY, C.
DE BACKER, M. *see* DE KEYSER, P.
DE BERKER, D., DAWBER, R. and WOJNAROWSKA, F. Subungual hair implantation in hairdressers, 400
DE BERKER, D., LEVER, L.R. and WINDEBANK, K. Nail features in Langerhans cell histicytosis, 523
DE BOO, TH. *see* VAN DOOREN-GREEBE, R.J.
DE JONGH, B. *see* KUIPER, H.
DE KEYSER, P., DE BACKER, M., MASSART, D.L. andWESTELINCK, K.J. Two-week oral treatment of tinea pedis.comparing terbinafine (250 mg/day) with itraconazole (100mg/day): a double-blind, multicentre study, Suppl. 43, 22
DE MORAGAS, J.M. *see* PUJOL, R.M.
DE WOLF-PEETERS, C. *see* VAN DEN OORD, J.J.
DEAN, D. *see* YELL, J.A.
DEGREEF, H. *see* DOOMS-GOOSSENS, A.
DELANEY, T.J. *see* SANSOM, J.E.
DELANEY, T.A. and WALKER, N.P.J. Penile melanosis successfully treated with the Q-switched ruby laser, 663
DERRICK, E.K., SMITH, R., MELCHER, D.H., MORRISON, E.A., KIRKHAM, N. and DARLEY, C.R. The use of cytology in the diagnosis of basal cell carcinoma, 561

DERRICK, E.K., VOYCE, M.E. and PRICE, M.L. *Trichophyton tonsurans* kerion in an elderly woman, 683
DICK, D. *see* DWYER, C.M.
DICKSON, G.R. *see* WANG, Q.
DIFFEY, B.L. *see* HUDSON-PEACOCK, M.J.
DOOMS-GOOSSENS, A., MEINARDI, M.M.H.M., BOS, J.D. and DEGREEF, H. Contact allergy to corticosteroids: the results of a two-centre study, 42
DOUGLAS, F., MCHENRY, P.M., DAGG, J.H., MACBETH, F. and MORLEY, W.N. Elevated levels of epidermal growth factor in a patient with tripe palms, 686
DOWNES, N. *see* GREEN, C.
DRAPE, J.L. *see* GOETTMANN, S.
DREVON, C.A. *see* SØYLAND, E.
DUBERTRET, L. *see* LABURTE, C.
DUCHATEAU, J. *see* MICHILS, A.
DWYER, C.M. and DICK, D. Association of malignant melanoma and germ cell tumour, 129

EADY, E.A. *see* BOJAR, R.A.
EADY, R.A.J. *see* MCGRATH, J.A.
EBIHARA, T. *see* YAGI, H.
ECKERT, F. *see* WACH, F.
EDWARDS, S. *see* KIRTSCHIG, G.
EGAWA, K. New types of human papillomaviruses and intracytoplasmic inclusion bodies: a classification of inclusion warts according to clinical features, histology and associated HPV types, 158
EGGER, P. *see* KEEFE, M.
EICHMÜLLER, S. *see* PAUS, R.
EINARSON, T.R., ARIKIAN, S.R. and SHEAR, N.H. Cost-effectiveness analysis for onychomycosis therapy in Canada from a government perspective, Suppl. 43, 32
EINARSON, T.R. *see* ARIKIAN, S.R.
EL-GHORR, A. *see* NORVAL, M.
ELIAS, P.M. *see* MENON, G.K.
ELMETS, C.A. *see* FLEMING, T.E.
EMILSON, A. *see* BERGFELT, L.
EMTESTAM, L. *see* OLLMAR, S.
ENGELEN, J. *see* VERAART, J.C.J.M.
EPSTEIN, E. Need for histopathological examination of skin cysts, 133
EUN, H.C., CHUNG, J.H., JUNG, S.Y., CHO, K.H. and KIM, K.H. A comparative study of the cytotoxicity of skin irritants on cultured human oral and skin keratinocytes, 24
EVANS, A.T. *see* COLLINS, P.
EVANS, E.G.V. A comparison of terbinafine (Lamisil®) 1% cream given for one week with clotrimazole (Canesten®) 1% cream given for four weeks, in the treatment of tinea pedis, Suppl. 43, 12
EVANS, E.G.V., SEAMAN, R.A.J. and JAMES, I.G.V. Short-duration therapy with terbinafine 1% cream in dermatophyte skin infections, 83

FAIVRE, B. *see* LARNIER, C.
FAIVRE, B. *see* TREFFEL, P.
FALK, E.S. *see* SØYLAND, E.
FALLON-FRIEDLANDER, S. *see* HENG, M.C.Y.
FARBER, C.-M. *see* MICHILS, A.
FARR, P.M. *see* HUDSON-PEACOCK, M.J.
FARR, P.M. *see* SAKUNTABHAI, A.
FARR, P.M. *see* SPEIGHT, E.L.
FEINGOLD, K.R. *see* MENON, G.K.
FELDMANN, R. *see* SALOMON, D.
FINLAY, A.Y. Global overview of Lamisil®, Suppl. 43, 1
FLEMING, T.E., MIRANDO, W.S., SOOHOO, L.F., COOPER, B.W., ZAIM, M.T., LAZARUS, H.M. and ELMETS, C.A. An inflammatory skin eruption associated with recombinant human IL-6, 534
FRAIOLI, G. *see* GALLI, E.
FRANCIS, N. *see* INWALD, D.
FRIEDMANN, P.S. *see* MUNRO, C.S.
FRIEDMANN, P.S. *see* PRYCE, D.W.
FRITSCH, P. *see* GRASSEGGER, A.
FRITSCHI, L., MCHENRY, P., GREEN, A., MACKIE, R., GREEN, L. and SISKIND, V. Naevi in schoolchildren in Scotland and Australia, 599
FUJIWARA, S. *see* MORI, O.
FUNASAKA, Y. *see* UEDA, M.
FUNK, J. *see* SØYLAND, E.
FURUE, M. *see* TAMAKI, K.
FURUYA, T. *see* TAMAKI, K.
FYFE, N.C.M. *see* IBBOTSON, S.H.

GALLI, E., PICARDO, M., CHINI, L., PASSI, S., MOSCHESE, V., TERMINALI, O., PAONE, F., FRAIOLI, G. and ROSSI, P. Analysis of polyunsaturated fatty acids in newborn sera: a screening tool for atopic disease?, 752
GANPULE, M. *see* GREEN, C.
GARCÍA-PATOS, V. *see* PUJOL, R.M.
GARSSEN, J. *see* NORVAL, M.
GAWKRODGER, D.J. *see* AL' ABADIE, M.S.
GAZZARD, B. *see* INWALD, D.
GEDDE-DAHL, T. JR and WINBERG, J.-O. Neonatal retention of type VII collagen, transient bullous dermolysis of the newborn and recessive epidermolysis bullosa dystrophica inversa, 685
GERRITSEN, M.J.P., RULO, H.F.C., ARNOLD, W.P. and VAN DE KERKHOF, P.C.M. Response of the clinically uninvolved skin of psoriatic patients to repeated tape stripping during cylosporin A treatment, 181
GILBERT, D. *see* VERDIER-SEVRAIN, S.
GIP, L., Black piedra: the first case treated with terbinafine (Lamisil®), Suppl. 43, 26
GLOVER, M. *see* ROSBOTHAM, J.L.
GOETTMANN, S., DRAPE, J.L., IDY-PERETTI, I., BITTOUN, J., THELEN, P., ARRIVE, L. and BELAICH, S. Magnetic resonance imaging: a new tool in the diagnosis of tumours of the nail apparatus, 701

GOODFIELD, M.D.J. *see* STAINFORTH, J.
GRABBE, J. *see* HERMES, B.
GRAHAM-BROWN, R.A.C. *see* HEALSMITH, M.F.
GRAHAM-BROWN, R.A.C. *see* HOLDER, J.E.
GRANLUND, H. *see* REITAMO, S.
GRANT, J.W. *see* RATNAVEL, R.C.
GRASSEGGER, A., HÖPFL, R., HUSSL, H., WICKE, K. and FRITSCH, P. Buschke–Loewenstein tumour infiltrating pelvic organs, 221
GRAY, W. *see* COLLINS, P.
GREEN, A. *see* FRITSCHI, L.
GREEN, C., GANPULE, M., HARRIS, D., KAVANAGH, G., KENNEDY, C., MALLETT, R., RUSTIN, M. and DOWNES, N. Comparative effects of calcipotriol (MC903) solution and placebo (vehicle of MC903) in the treatment of psoriasis of the scalp, 483
GREEN, L. *see* FRITSCHI, L.
GREEN, S.H. *see* MOSS, C.
GROSSMAN, M.E. *see* SPENCER, J.M.
GROSSMAN, R. *see* LABURTE, C.
GROTH, W. *see* GUTWALD, J.G.J.
GRÜNEWALD, K. *see* ZELGER, B.
GUTWALD, J.G.J., GROTH, W. and MAHRLE, G. Peritumoral injections of interleukin 2 induce tumour regression in metastatic malignant melanoma, 541

HAAS, N. *see* HERMES, B.
HACHISUKA, H. *see* MORI, O.
HALLIDAY, G.M. *see* HUNT, M.J.
HAMULYAK, K. *see* VERAART, J.C.J.M.
HANDFIELD-JONES, S.E. *see* PHILLIPS, W.G.
HANNA, M.M. *see* KAVANAGH, G.M.
HARDWICK, N. *see* PRYCE, D.W.
HARMON, C.S. and NEVINS, T.D. Hair fibre production by human hair follicles in whole-organ culture, 415
HARRIS, D. *see* GREEN, C.
HARRISON, P.V. and MOORE-FITZGERALD, L. Psoriasis, stressful life events and coping skills, 798
HASSAN, A. *see* PRASAD, R.S.
HAWK, J.L.M. *see* PAO, C.
HAY, R.J. *see* CLAYTON, Y.M.
HAYASHIBE, K. *see* TSUKAMOTO, H.
HEALSMITH, M.F., BOURKE, J.F., OSBORNE, J.E. and GRAHAM- BROWN, R.A.C. An evaluation of the revised seven-point checklist for the early diagnosis of cutaneous malignant melanoma, 48
HEGEMANN, L., TOSO, S.M., KITAY, K. and WEBSTER, G.F. Anti-inflammatory actions of benzoyl peroxide: effects on the generation of reactive oxygen species by leucocytes and the activity of protein kinase C and calmodulin, 569
HEIN, R. *see* WACH, F.
HELLAND, S. *see* SØYLAND, E.
HENG, M.C.Y., KHOO, M., COOPERMAN, A. and FALLON-FRIEDLANDER, S. Haemorrhagic cellulitis: a syndrome associated with tumour necrosis factor-α, 65
HENG, M.C.Y., SONG, M.K. and HENG, M.K. Elevated phosphorylase kinase activity in psoriatic epidermis: correlation with increased phosphorylation and psoriatic activity, 298
HENG, M.K. *see* HENG, M.C.Y.
HENNRIKUS, D. *see* BYLES, J.E.
HERMES, B., HAAS, N., GRABBE, J. and CZARNETZKI, B.M. Foreign-body granuloma and IgE-pseudolymphoma after multiple bee stings, 780
HERSEY, P. *see* BYLES, J.E.
HEULE, F. *see* VAN JOOST, TH.
HIGGINS, E.M. *see* HUGHES, J.R.
HILAIRE, N. *see* JUDGE, M.R.
HILL, V.A., WHITTAKER, S.J., HUNT, B.J., LIDDELL, K., SPITTLE, M.F. and SMITH, N.P. Cutaneous necrosis associated with the antiphospholipid syndrome and mycosis fungoides, 92
HILLS, R.J., UNSWORTH, A. and IVE, F.A. A comparative study of the frictional properties of emollient bath additives using porcine skin, 37
HOFMAN, U. *see* PAUS, R.
HOLDER, J.E., GRAHAM-BROWN, R.A.C. and CAMP, R.D.R. Partial unilateral lentiginosis associated with blue naevi, 390
HOLLAND, D.B. *see* KNAGGS, H.E.
HOLLAND, K.T. *see* BOJAR, R.A.
HOLLINGWORTH, P. *see* KAVANAGH, G.M.
HÖPFL, R. *see* GRASSEGGER, A.
HORI, Y. *see* KUBOTA, Y.
HORI, Y. *see* NAKAYAMA, J.
HOWSE, J.P. *see* SAKKA, S.A.
HUDSON-PEACOCK, M.J., DIFFEY, B.L. and FARR, P.M. Photoprotective action of emollients in ultraviolet therapy of psoriasis, 361
HUGHES, B.R. *see* KNAGGS, H.E.
HUGHES, J.R., HIGGINS, E.M. and PEMBROKE, A.C. Oral dexamethasone masquerading as a Chinese herbal remedy, 261
HUNT, B.J. *see* HILL, V.A.
HUNT, M.J., HALLIDAY, G.M., WEEDON, D., COOKE, B.E. and BARNETSON, R.STC. Regression in basal cell carcinoma: an immunohistochemical analysis, 1
HUSSL, H. *see* GRASSEGGER, A.

IBBOTSON, S.H., SIMPSON, N.B., FYFE, N.C.M. and LAWRENCE, C.M. Follicular keratoses at amputation sites, 770
ICHIHASHI, M. *see* TSUKAMOTO, H.
ICHIHASHI, M. *see* UEDA, M.
IDY-PERETTI, I. *see* GOETTMANN, S.
IGLESIAS, M.E. *see* REDONDO, P.
IGNATIUS, J. *see* NIEMI, K.-M.
IMAYAMA, S. *see* KUBOTA, Y.
INWALD, D., NELSON, M., CRAMP, M., FRANCIS, N. and GAZZARD, B. Cutaneous manifestations of mycobacterial infection in patients with AIDS, 111
ISHII, Y. *see* SHINKAI, H.
IVE, F.A. *see* HILLS, R.J.

IWASAWA, U. *see* KAKINUMA, H.
IZAC, M. *see* COLLET, E.
IZUMI, T. *see* YAGI, H.

JACOBI, H. *see* BLUME-PEYTAVI, U.
JACQUET, P. *see* ANGELI-BESSON, C.
JACQUOT, C. *see* PIKETTY, C.
JAMES, I.G.V. *see* EVANS, E.G.V.
JIAN-GANG ZHANG. and OLIVER, R.F. Immunohistological study of the development of the cellular infiltrate in the pelage follicles of the DEBR model for alopecia areata, 405
JOHANSSON, J. *see* SVANBERG, K.
JOHNSON, M. and SHUSTER, S. Determinants of nail thickness and length, 195
JOHNSTON, D.I. *see* JUDGE, M.R.
JOLY, P. *see* VERDIER-SEVRAIN, S.
JONES, C.E. *see* BOJAR, R.A.
JONES, R. *see* BURROWS, N.P.
JONES, S.K. Cutaneous larva migrans — 'recurrens', 546
JOSHI, R.K. *see* ABANMI, A.
JOSHI, R.K., ATUKORALA, D.N., ABANMI, A. and AL AWADI, T. Lichen planus pemphigoides. Is it a separate entity?, 537
JOSHI, R.K., ATUKORALA, D.N., ABANMI, A. and KUDWAH, A. Dyskeratosis congenita in a female, 520
JUCGLA, A. *see* SAIS, G.
JUDANARSO, L.S. *see* BUDIMULJA, U.
JUDGE, M.R., ATHERTON, D.J., SALVAYRE, R., HILAIRE, N., LEVADE, T., JOHNSTON, D.I., WINCHESTER, B. and LAKE, B.D. Neutral lipid storage disease. Case report and lipid studies, 507
JUNG, S.Y. *see* EUN, H.C.

KAKINUMA, H., IWASAWA, U., KURAKATA, N. and SUZUKI, H. A case of extramammary Paget's disease with depigmented macules as the sole manifestation, 102
KAKINUMA, H. and SUZUKI, H. *Mycobacterium avium* complex infection limited to the skin in a patient with systemic lupus erythematosus, 785
KALIMO, H. *see* ZHANG, L.-Q.
KAN, J.S. *see* WATSON, R.M.
KANERVA, L. *see* NIEMI, K.-M.
KARVONEN, J. *see* POIKOLAINEN, K.
KATAGIRI, K. *see* SHINKAI, H.
KATAYAMA, I. *see* YAMAZAKI, S.
KAVANAGH, G. *see* GREEN, C.
KAVANAGH, G.M., HOLLINGWORTH, P. and KENNEDY, C.T. Hypertrichosis and algodystrophy: an hypothesis to explain this uncommon association, 259
KAVANAGH, G.M., PAGE, P. and HANNA, M.M. Silicone gel treatment of extensive hypertrophic scarring following toxic epidermal necrolysis, 540
KECZKES, K. *see* KO, C.B.
KEEFE, C.J. *see* KEEFE, M.
KEEFE, M., AL-GHAMDI, A., COGGON, D., MAITLAND, N.J., EGGER, P., KEEFE, C.J., CAREY, A. and SANDERS, C.M. Cutaneous warts in butchers, 9
KEEFE, M., AL-GHAMDI, A., COGGON, D., MAITLAND, N.J., EGGER, P., KEEFE, C.J., CAREY, A. and SANDERS, C.M. Butchers' warts: no evidence for person to person transmission of HPV7, 15
KENNEDY, C. *see* GREEN, C.
KENNEDY, C.T. *see* KAVANAGH, G.M.
KENNEDY, C.T.C. *see* SANSOM, J.E.
KENT, G.G. *see* AL'ABADIE, M.S.
KERL, H. *see* RIEGER, E.
KHOO, M. *see* HENG, M.C.Y.
KILLANDER, D. *see* SVANBERG, K.
KIM, K.H. *see* EUN, H.C.
KIRKHAM, N. *see* DERRICK, E.K.
KIRTSCHIG, G., WOJNAROWSKA, F., MARSDEN, R.A., EDWARDS, S., BHOGAL, B. and BLACK, M.M. Acquired bullous diseases of childhood: re-evaluation of diagnosis by indirect immunofluorescence examination of 1 M NaCl split skin and immunoblotting, 610
KITAY, K. *see* HEGEMANN, L.
KNAGGS, H.E., HUGHES, B.R., MORRIS, C., WOOD, E.J., HOLLAND, D.B. and CUNLIFFE, W.J. Immunohistochemical study of desmosomes in acne vulgaris, 731
KNAGGS, H.E., LAYTON, A.M., MORRIS, C., WOOD, E.J., HOLLAND, D.B. and CUNLIFFE, W.J. Investigation of the expression of the extracellular matrix glycoproteins tenascin and fibronectin during acne vulgaris, 576
KNOLLMAYER, S. *see* BINDER, M.
KO, C.B., WALTON, S., KECZKES, K., BURY, H.P.R. and NICHOLSON, C. The emerging epidemic of skin cancer, 269
KOBELT-NGUYEN, G. *see* ARIKIAN, S.R.
KOBZA-BLACK, A. *see* PHILLIPS, W.G.
KOEPPEL, M.C. *see* ANGELI-BESSON, C.
KOESANTO, D. *see* BUDIMULJA, U.
KOGA, T. *see* KUBOTA, Y.
KOLFER, R. *see* RIEGER, E.
KOOPMAN, R.J.J. *see* LUCKER, G.P.H.
KORSTANJE, M. *see* VAN JOOST, TH.
KRESSE, H. *see* STEIJLEN, P.M.
KRIEG, T. *see* WACH, F.
KUBOTA, Y., KOGA, T., IMAYAMA, S. and HORI, Y. *In vitro* release of granulocyte/macrophage colony-stimulating factor from peripheral blood mononuclear cells of atopic dermatitis patients in response to stimulation with dust mite antigen, 127
KUDWAH, A. *see* JOSHI, R.K.
KUHN, A. *see* WACH, F.
KUIJPERS, A.L.A. *see* VAN DOOREN-GREEBE, R.J.
KUIPER, H., CAIRO, I., VAN DAM, A., DE JONGH, B., RAMSELAAR, T., SPANJAARD, L. and DANKERT, J. Solitary erythema migrans: a clinical, laboratory and epidemiological study of 77 Dutch patients, 466
KUOKKANEN, K. *see* NIEMI, K.-M.

KURAKATA, N. *see* KAKINUMA, H.
KURUMAJI, Y. *see* YAMAZAKI, S.
KUSUHARA, M. *see* MORI, O.
KUSWADJI, K. *see* BUDIMULJA, U.

LAATO, M. *see* ZHANG, L.-Q.
LABURTE, C., GROSSMAN, R., ABI-RACHED, J., ABEYWICKRAMA K.H. and DUBERTRET, L. Efficacy and safety of oral cyclosporin A (CyA:Sandimmun®) for long-term treatment of chronic severe plaque psoriasis, 366
LACOUR, J-P., CASTANET, J., LAGRANGE, J-L. and ORTONNE, J-P. Follicular mycosis fungoides: response to radiation therapy, 256
LAGRANGE, J-L. *see* LACOUR, J.-P.
LAKE, B.D. *see* JUDGE, M.R.
LAMBERT, D. *see* COLLET, E.
LANDTHALER, M. *see* WACH, F.
LANGTRY, J. *see* ZEMELMAN, V.
LARNIER, C., ORTONNE, J.-P., VENOT, A., FAIVRE, B., BÉANI, J.-C., THOMAS, P., BROWN, T.C. and SENDAGORTA, E. Evaluation of cutaneous photodamage using a photographic scale, 167
LAURET, PH. *see* VERDIER-SEVRAIN, S.
LAWRENCE, C.M. *see* IBBOTSON, S.H.
LAYTON, A.M. *see* KNAGGS, H.E.
LAYTON, A.M., COTTERILL, J.A., TOMLINSON, I.W., Hydroxyurea-induced lupus erythematosus, 687
LAYTON, A.M., YIP, J. and CUNLIFFE, W.J. A comparison of intralesional triamcinolone and cryosurgery in the treatment of acne keloids, 498
LAZARUS, H.M. *see* FLEMING, T.E.
LEIGH, I. *see* ROSBOTHAM, J.L.
LESCS, M.-C. *see* BAGOT, M.
LEVADE, T. *see* JUDGE, M.R.
LEVELL, N.J. *see* MUNRO, C.S.
LEVER, L.R. *see* DE BERKER, D.
LEVER, R.S. *see* PERKINS, W.
LEVINE, T.S., PRICE, A.B., BOYLE, S. and WEBSTER, A.D.B. Cutaneous sarcoid-like granulomas in primary immunodeficiency disorders, 118
LEVISON, D.A. *see* COLLINS, P.
LEWIS, F.M., COLVER, G.B. and SLATER, D.N. Darier's sign associated with non-Hodgkin's lymphoma, 126
LIDDELL, K. *see* HILL, V.A.
LINDBERG, M. *see* BERGFELT, L.
LJUNGGREN, B.L. *see* BJELLERUP, M.
LUCKER, G.P.H., KOOPMAN, R.J.J., STEIJLEN, P.M. and VAN DER VALK, P.G.M. Treatment of palmoplantar lichen nitidus with acitretin, 791
LUCKER, G.P.H., VAN DE KERKHOF, P.C.M. and STEIJLEN, P.M. Topical calcipotriol in the treatment of epidermolytic palmoplantar keratoderma of Vörner, 543
LÜFTL, M. *see* PAUS, R.
MACBETH, F. *see* DOUGLAS, F.
MCCULLAGH, P. and THEAKER, J.M. Reply, 133
MCGRATH, J.A., SCHOFIELD, O.M.V. and EADY, R.A.J. Epidermolysis bullosa pruriginosa: dystrophic epidermolysis bullosa with distinctive clinicopathological features, 617
MCGROUTHER, D. *see* CROWE, R.
MCHENRY, P. *see* FRITSCHI, L.
MCHENRY, P.M. *see* DOUGLAS, F.
MCHENRY, P.M., CAMPBELL, I. and MACKIE, R.M. Assessment of an anti-T-cell receptor variable region antibody panel in cutaneous T-cell lymphoma, 595
MCKENZIE, R.C. *see* YOUNG-HO WON
MACKIE, R. *see* FRITSCHI, L.
MACKIE, R.M. *see* MCHENRY, P.M.
MAERENS, B. *see* COLLET, E.
MAESSEN, E. *see* STEIJLEN, P.M.
MAHRLE, G. *see* GUTWALD, J.G.J.
MAITLAND, N.J. *see* KEEFE, M.
MALLETT, R. *see* GREEN, C.
MALLON, E. and DAWBER, R.P.R. Longitudinal melanonychia induced by minocycline, 794
MARCOVAL, J. *see* SAIS, G.
MARSCH, W.CH. Cetirizine may block transmigration of eosinophils at post-capillary venules, 401
MARSDEN, R.A. *see* KIRTSCHIG, G.
MASGRAU-PEYA, E. *see* SALOMON, D.
MASSART, D.L. *see* DE KEYSER, P.
MATTHEWS, J.N.S. *see* SAKUNTABHAI, A.
MEEUS, F. *see* PIKETTY, C.
MEINARDI, M.M.H.M. *see* DOOMS-GOOSSENS, A.
MELCHER, D.H. *see* DERRICK, E.K.
MENNI, S. *see* CAMBIAGHI, S.
MENON, G.K., ELIAS, P.M. and FEINGOLD, K.R. Integrity of the permeability barrier is crucial for maintenance of the epidermal calcium gradient, 139
MESHEIT, J. *see* SALOMON, D.
MICHILS, A., FARBER, C.-M., VAN VOOREN, J.-P., YERNAULT, J.-C. and DUCHATEAU, J. Sustained benefit of interferon-alpha therapy and oral hyposensitization in severe atopic dermatitis, 134
MIDDELFART, K. *see* SØYLAND, E.
MIER, P.D. *see* VAN DUIJNHOVEN-AVONTUUR, W.M.G.
MIRANDO, W.S. *see* FLEMING, T.E.
MISHIMA, Y. *see* TSUKAMOTO, H.
MISHIMA, Y. *see* UEDA, M.
MONEDERO, P. *see* REDONDO, P.
MOORE-FITZGERALD, L. *see* HARRISON, P.V.
MORI, O., HACHISUKA, H., KUSUHARA, M., SASAI, Y. and FUJIWARA, S. Bullous pemphigoid in a 19-year-old woman. A case with unusual target antigens, 241
MORI, S. *see* SEISHIMA, M.
MORLEY, W.N. *see* DOUGLAS, F.
MORRIS, C. *see* KNAGGS, H.E.
MORRISON, E.A. *see* DERRICK, E.K.
MOSCHESE, V. *see* GALLI, E.
MOSS, C. *see* WARD, K.A.

MOSS, C. and GREEN, S.H. What is segmental neurofibromatosis?, 106
MULDER, J. *see* VAN DOOREN-GREEBE, R.J.
MUNRO, C.S., LEVELL, N.J., SHUSTER, S. and FRIEDMANN, P.S. Maintenance treatment with cyclosporin in atopic eczema, 376
MUONA, P. *see* ZHANG, L.-Q.

NAGAI, M. *see* SAITO, H.
NAKA, W. *see* NISHIKAWA , T.
NAKAYAMA, J., URABE, A., TOYOFUKU, K., TANIGUCHI, S. and HORI, Y. Suppression of murine melanoma growth with a combination of microwave hyperthermia and local injection of interleukin 2, 717
NELSON, M. *see* INWALD, D.
NELSON, M.E. *see* DAPLING, R.B.
NEUMANN, H.A.M. *see* VERAART, J.C.J.M.
NEVINS, T.D. *see* HARMON, C.S.
NICANDER, I. *see* OLLMAR, S.
NICHOLSON, C. *see* KO, C.B.
NIEMI, K.-M., KANERVA, L., KUOKKANEN, K. and IGNATIUS, J. Clinical, light and electron microscopic features of recessive congenital ichthyosis type I, 626
NILLES, M., BOEDEKER, R-H. and SCHILL, W-B. Surface microscopy of naevi and melanomas—clues to melanoma, 349
NISHIKAWA , T. and NAKA, W. Evaluation of antifungal effects of terbinafine and itraconazole using neutral red staining, Suppl. 43, 4
NISHIOKA, K. *see* YAMAZAKI, S.
NOCHY, D. *see* PIKETTY, C.
NOLTING, S., BRAUTIGAM, M. and WEIDINGER, G. Terbinafine in onychomycosis with involvement by non-dermatophytic fungi, Suppl. 43, 16
NOMA, A. *see* SEISHIMA, M.
NORRIS, P.G. *see* PAO, C.
NORRIS, P.G. *see* RATNAVEL, R.C.
NORRIS, P.G. *see* SARKANY, R.P.E.
NORVAL, M. *see* YIRRELL, D.L.
NORVAL, M., EL-GHORR, A., GARSSEN, J. and VAN LOVEREN, H. The effects of ultraviolet light irradiation on viral infections, 693
NYRÉN, M. *see* OLLMAR, S.

ODU, S. *see* SØYLAND, E.
OGAI, M. *see* YAGI, H.
OGONUKI, R. *see* SAITO, H.
OLIVER, R.F. *see* JIAN-GANG ZHANG
OLLMAR, S., NYRÉN, M., NICANDER, I. and EMTESTAM, L. Electrical impedance compared with other non-invasive bioengineering techniques and visual scoring for detection of irritation in human skin, 29
ONG, B.H. *see* TAY, Y.K.
ONYCHOMYCOSIS STUDY GROUP *see* ARIKIAN, S.R
ORFANOS, C.E. *see* BLUME-PEYTAVI, U.
ORTONNE, J-P. *see* LACOUR, J.-P.
ORTONNE, J.-P. *see* LARNIER, C.
ORTONNE, J.P. *see* CAMELI, N.
OSBORNE, J.E. *see* HEALSMITH, M.F.
OSTLERE, L.S. *see* STEVENS, H.P.
OTSUKA, F. *see* UMEBAYASHI, Y.

PAGE, P. *see* KAVANAGH, G.M.
PAMPHILE, R. *see* BAGOT, M.
PANISSET, F. *see* TREFFEL, P.
PAO, C., NORRIS, P.G., CORBETT, M. and HAWK, J.L.M. Polymorphic light eruption: prevalence in Australia and England, 62
PAONE, F. *see* GALLI, E.
PARKHOUSE, N. *see* CROWE, R.
PASSI, S. *see* GALLI, E.
PATEL, P. *see* ZEMELMAN, V.
PAUS, R., HOFMANN, U., EICHMÜLLER, S. and CZARNETZKI, B.M. Distribution and changing density of gamma-delta T cells in murine skin during the induced hair cycle, 281
PAUS, R., LÜFTL, M. and CZARNETZKI, B.M. Nerve growth factor modulates keratinocyte proliferation in murine skin organ culture, 174
PEDERSEN, N.B. *see* ABANMI, A.
PEHAMBERGER, H. *see* BINDER, M.
PEJAVER, R.K. *see* PRASAD, R.S.
PELTONEN, J. *see* ZHANG, L.-Q.
PEMBROKE, A.C. *see* HUGHES, J.R.
PERKINS, W., STABLES, G.I. and LEVER, R.S. Protein S deficiency in lupus erythematosus secondary to hereditary angio-oedema, 381
PERRIN, C. *see* CAMELI, N.
PERRIN, C. and BARAN, R. Invaginated fibrokeratoma with matrix differentiation: a new histological variant of acquired fibrokeratoma, 654
PETRI, M. *see* WATSON, R.M.
PHILIPPON, C. *see* CAUX, F.
PHILLIPS, W.G., WELLER, R., HANDFIELD-JONES, S.E. and KOBZA- BLACK, A. Adult Still's disease, 511
PICARDO, M *see* CAMELI, N.
PICARDO, M. *see* GALLI, E.
PIKETTY, C., MEEUS, F., NOCHY, D., POUX, J.M., JACQUOT, C. and BARIETY, J. Linear IgA dermatosis related to vancomycin, 130
PISANI, A. *see* CAMELI, N.
POIKOLAINEN, K., REUNALA, T. and KARVONEN, J. Smoking, alcohol and life events related to psoriasis among women, 473
POLAK, J.M. *see* BURROWS, N.P.
POSKITT, L. and WILKINSON, J.D. Natural history of keratosis pilaris, 711
POUX, J.M. *see* PIKETTY, C.
PRASAD, R.S., PEJAVER, R.K., HASSAN, A., AL DUSARI, S. and WOOLDRIDGE, M.A. Management and follow-up of harlequin siblings, 650

PRICE, A.B. *see* LEVINE, T.S.
PRICE, M.L. *see* DERRICK, E.K.
PROFETA, K. *see* WILLIAMS, D.
PROVOST, T.T. *see* WATSON, R.M.
PRYCE, D.W., RHODES, L.E., HARDWICK, N. and FRIEDMANN, P.S. Safety and efficacy of longer-term lower dose cyclosporin A therapy, 681
PUJOL, R.M., GARCÍA-PATOS, V., RAVELLA-MATEU, A., CASANOVA, J.M. and DE MORAGAS, J.M. Tufted hair folliculitis: a specific disease?, 259
PYE, R.J. *see* STERLING, J.C.

QUINTANILLA, E. *see* REDONDO, P.

RAJKA, G. *see* SØYLAND, E.
RAMSELAAR, T. *see* KUIPER, H.
RATNAVEL, R.C., SHANKS, A.J., GRANT, J.W. and NORRIS, P.G. Juvenile pemphigoid nodularis, 125
RATRIE, H. III *see* WATSON, R.M.
RAVELLA-MATEU, A. *see* PUJOL, R.M.
REDONDO, P., RUIZ DE ERENCHUN, F., IGLESIAS, M.E., MONEDERO, P. and QUINTANILLA, E. Toxic epidermal necrolysis. Treatment with pentoxifylline, 688
REITAMO, S. and GRANLUND, H. Cyclosporin A in the treatment of chronic dermatitis of the hands, 75
REUNALA, T. *see* POIKOLAINEN, K.
REVUZ, J. *see* BAGOT, M.
REVUZ, J. *see* CAUX, F.
RHODES, L.E. *see* PRYCE, D.W.
RIEGER, E., KOLFER, R., BORKENSTEIN, M., SCHWINGSHANDL, J., SOYER, H.P. and KERL, H. Melanotic macules following Blaschko's lines in McCune–Albright syndrome, 215
ROBERTS, N. *see* ZEMELMAN, V.
ROHPRABOWO *see* BUDIMULJA, U.
ROSBOTHAM, J.L., TREMBATH, R.C., CLOVER, M., LEIGH, I. and BARKER, J.N.W.N. An association between psoriasis and hereditary multiple exostoses. A clue for the mapping of a psoriasis susceptibility gene?, 671
ROSSI, P. *see* GALLI, E.
ROUJEAU, J.C. *see* CAUX, F.
RUIZ DE ERENCHUN, F. *see* REDONDO, P.
RULO, H.F.C. *see* GERRITSEN, M.J.P.
RUSSELL, S. and YOUNG, M.J. Hypercalcaemia during treatment of psoriasis with calcipotriol, 795
RUSSELL-JONES, R. *see* BURROWS, N.P
RUSTAD, L. *see* SØYLAND, E.
RUSTIN, M. *see* GREEN, C.
RUSTIN, M.H.A. *see* STEVENS, H.P.

SAIS, G., MARCOVAL, J., JUCGLA, A., CURCO, N. and SERVITJE, O. Dermatomyositis and metastatic malignant melanoma, with complete regression of the primary lesion, 796
SAITO, H., OGONUKI, R., YANADORI, A., YAMAZAKI, S. and NAGAI, M. Congenital dermal sinus with intracranial dermoid cyst, 235
SAKKA, S.A. and HOWSE, J.P. Necrotic cutaneous arachnidism in the U.K., 542
SAKUNTABHAI, A., MATTHEWS, J.N.S. and FARR, P.M. Improved prediction of the minimal phototoxic dose in PUVA therapy, 604
SALVAYRE, R. *see* JUDGE, M.R.
SALOMON, D., MESHEIT, J., MASGRAU-PEYA, E., FELDMANN, R. and SAURAT, J-H. Acitretin does not prevent psoriasis relapse related to cyclosporin A tapering, 257
SAMBLEBE, M. *see* WILHELM, K-P.
SANDBERG, M. *see* SØYLAND, E.
SANDERS, C.M. *see* KEEFE, M.
SANSOM, J.E., SHEEHAN, A.L., KENNEDY, C.T.C. and DELANEY, T.J. A fatal case of scleredema of Buschke, 669
SANSON-FISHER, R. *see* BYLES, J.E.
SARKANY, R.P.E. and NORRIS, P.G. Hepatic complications of erythropoietic protoporphria, 258
SASAI, Y. *see* MORI, O.
SAUDER, D.N. *see* YOUNG-HO WON
SAURAT, J.-H. *see* SALOMON, D.
SAYAG, J. *see* ANGELI-BESSON, C.
SCERRI, L., ZAKI, I. and ALLEN, B.R. Pyoderma gangrenosum and subcorneal pustular dermatosis, without monoclonal gammopathy, 398
SCHALKWIJK, J. *see* STEIJLEN, P.M.
SCHALKWIJK, J. *see* VAN DUIJNHOVEN-AVONTUUR, W.M.G.
SCHEEL, J.N. *see* WATSON, R.M.
SCHER, R.K. Onychomycosis is more than a cosmetic problem, Suppl. 43, 15
SCHEYNIUS, A. *see* BERGFELT, L.
SCHILL, W.B. *see* NILLES, M.
SCHOFIELD, O.M.V. *see* MCGRATH, J.A.
SCHOLZ, A. *see* BLUME-PEYTAVI, U.
SCHWARZ, M. *see* BINDER, M.
SCHWINGSHANDL, J. *see* RIEGER, E.
SCULLY, C., DE ALMEIDA, O.P. and WELBURY, R. Oral lichen planus in childhood, 131
SEAMAN, R.A.J. *see* EVANS, E.G.V.
SEISHIMA, M. *see* SEISHIMA, M.
SEISHIMA, M., SEISHIMA, M., MORI, S. and NOMA, A. Serum lipid and apolipoprotein levels in patients with psoriasis, 738
SENDAGORTA, E. *see* LARNIER, C.
SEPP, N. *see* ZELGER, B.
SERVITJE, O. *see* SAIS, G.
SHANKS, A.J. *see* RATNAVEL, R.C.
SHEAR, N.H. *see* EINARSON, T.R.
SHEEHAN, A.L. *see* SANSOM, J.E.
SHEEHAN, M.P. and ATHERTON, D.J. One-year follow up of children treated with Chinese medicinal herbs for atopic eczema, 488

SHEEHAN-DARE, R.A. and COTTERILL, J.A. Copper vapour laser (578 nm) and flashlamp-pumped pulsed tunable dye laser (585 nm) treatment of port wine stains: results of a comparative study using test sites, 478
SHINKAI, H., KATAGIRI, K., ISHII, Y. and TAKAYASU, S. Connective tissue naevus with pseudo-Hurler polydystrophy, 528
SHUSTER, S. *see* JOHNSON, M.
SHUSTER, S. *see* MUNRO, C.S.
SIEGERS, C-P. *see* WILHELM, K-P.
SILVERS, D.N. *see* SPENCER, J.M.
SIMPSON, N.B. *see* IBBOTSON, S.H.
SISKIND, V. *see* FRITSCHI, L.
SLATER, D.N. *see* LEWIS, F.M.
SMITH, N.P. *see* HILL, V.A.
SMITH, R. *see* DERRICK, E.K.
SO, K. *see* TAMAKI, K.
SOLVOLL, K. *see* SØYLAND, E.
SONG, M.K. *see* HENG, M.C.Y.
SOOHOO, L.F. *see* FLEMING, T.E.
SOYER, H.P. *see* RIEGER, E.
SØYLAND, E., FUNK, J., RAJKA, G., SANDBERG, M., THUNE, P., RUSTAD, L., HELLAND, S., MIDDELFART, K., ODU, S., FALK, E.S., SOLVOLL, K., BJØRNEBOE, G.E.Aa, and DREVON, C.A. Dietary supplementation with very long-chain *n*-3 fatty acids in patients with atopic dermatitis. A double-blind, multicentre study, 757
SPANJAARD, L. *see* KUIPER, H.
SPEIGHT, E.L. and FARR, P.M. Calcipotriol improves the response of psoriasis to PUVA, 79
SPENCER, J.M., SILVERS, D.N. and GROSSMAN, M.E. Pustular eruption after drug exposure: is it pustular psoriasis or a pustular drug eruption?, 514
SPITTLE, M.F. *see* HILL, V.A.
STABLES, G.I. *see* PERKINS, W.
STAINFORTH, J. and GOODFIELD, M.D.J. Severe oropharyngeal deglutition abnormalities in a patient with systemic sclerosis, managed with a gastrostomy, 682
STAUGHTON, R.C.D. *see* ZEMELMAN, V.
STEIJLEN, P.M. *see* LUCKER, G.P.H.
STEIJLEN, P.M. *see* VAN DE KERKHOF, P.C.M.
STEIJLEN, P.M., MAESSEN, E., KRESSE, H., VAN VLIJMEN, I.M.J.J., VERSTRAETEN, A.A., TRAUPE, H. and SCHALKWIJK, J. Expression of tenascin, biglycan and decorin in disorders of keratinization, 564
STEIJLEN, P.M. and VAN DE KERKHOF, P.C.M. Topical treatment of monogenic disorders of keratinization, 546
STEIJLEN, P.M., VAN DOOREN-GREEBE, R.J. and VAN DE KERKHOF, P.C.M. Acitretin in the treatment of lamellar ichthyosis, 211
STEINER, A. *see* BINDER, M.
STENN, K.S. *see* WILLIAMS, D.
STENRAM, U. *see* SVANBERG, K.
STENVELD, H.J. *see* VAN JOOST, TH.
STERLING, J.C., COLEMAN, N. and PYE, R.J. Mid-dermal elastolysis, 502
STEVENS, H.P., OSTLERE, L.S. and RUSTIN, M.H.A. Systemic lupus erythematosus in association with ulcerative colitis: related autoimmune diseases, 385
SUGIURA, M. *see* YAGI, H.
SUZUKI, H. *see* KAKINUMA, H.
SVANBERG, K. ANDERSSON, T., KILLANDER, D., WANG, I., STENRAM, U., ANDERSSON-ENGELS, S., BERG, R., JOHANSSON, J. and SVANBERG, S. Photodynamic therapy of non- melanoma malignant tumours of the skin using topical δ-amino levulinic acid sensitization and laser irradiation, 743
SVANBERG, S. *see* SVANBERG, K.

TADINI, G. *see* CAMBIAGHI, S.
TAKAYASU, S. *see* SHINKAI, H.
TAKIGAWA, M. *see* YAGI, H.
TAMAKI, K., SO, K., FURUYA, T. and FURUE, M. Cytokine profile of patients with bullous pemphigoid, 128
TAN, K.C. *see* TAY, Y.K.
TANIGUCHI, S. *see* NAKAYAMA, J.
TAPÁI, M. *see* TÖRÖK, L.
TAY, Y.K., TAN, K.C., WONG, W.K. and ONG, B.H. Papuloerythroderma of Ofuji: a report of three cases and review of the literature, 773
TERENGHI, G. *see* BURROWS, N.P.
TERMINALI, O. *see* GALLI, E.
THEAKER, J.M. *see* MCCULLAGH, P.
THELEN, P. *see* GOETTMANN, S.
THOMAS, P. *see* LARNIER, C.
THOMINE, E. *see* VERDIER-SEVRAIN, S.
THUNE, P. *see* SØYLAND, E.
TOKURA, Y. *see* YAGI, H.
TOMLINSON, I.W. *see* LAYTON, A.M.
TÖRÖK, L., VIRÁGH, SZ., BORKA, I. and TAPAI, M. Bacillary angiomatosis in a patient with lymphocytic leukaemia, 665
TOSO, S.M. *see* HEGEMANN, L.
TOSTI, A. *see* CAMELI, N.
TOYOFUKU, K. *see* NAKAYAMA, J.
TRAUPE, H *see* STEIJLEN, P.M.
TREFFEL, P., PANISSET, F., FAIVRE, B. and AGACHE, P. Hydration, transepidermal water loss, pH and skin surface parameters: correlations and variations between dominant and non-dominant forearms, 325
TREMBATH, R.C. *see* ROSBOTHAM, J.L.
TRON, F. *see* VERDIER-SEVRAIN, S.
TSUJII, H. *see* UMEBAYASHI, Y.
TSUKAMOTO, H., HAYASHIBE, K., MISHIMA, Y. and ICHIHASHI, M. The altered expression of α-smooth muscle actin in basal cell epithelioma and its surrounding stroma: with special reference to proliferating cell nuclear antigen expression and adenoid differentiation, 189

UEDA, M., FUNASAKA, Y., ICHIHASHI, M. and MISHIMA, Y. Stable and strong expression of basic fibroblast growth factor in naevus cell naevus contrasts with aberrant expression in melanoma, 320
UMEBAYASHI, Y., UYENO, K., TSUJII, H. and OTSUKA, F. Proton radiotherapy of skin carcinomas, 88
UNSWORTH, A. *see* HILLS, R.J.
UNTUNG, S. *see* BUDIMULJA, U.
URABE, A. *see* NAKAYAMA, J.
UYENO, K. *see* UMEBAYASHI, Y.

VAN DAM, A. *see* KUIPER, H.
VAN DE KERKHOF, P.C.M. *see* GERRITSEN, M.J.P.
VAN DE KERKHOF, P.C.M. *see* LUCKER, G.P.H.
VAN DE KERKHOF, P.C.M. *see* STEIJLEN, P.M
VAN DE KERKHOF, P.C.M. *see* VAN DOOREN-GREEBE, R.J.
VAN DE KERKHOF, P.C.M. and STEIJLEN, P.M. Topical treatment of pityriasis rubra pilaris with calcipotriol, 675
VAN DEN BROEK, M.J.T.B. *see* VAN JOOST, TH.
VAN DEN OORD, J.J. and DE WOLF-PEETERS, C. Epithelium-lining macrophages in psoriasis, 589
VAN DER VALK, P.G.M. *see* LUCKER, G.P.H.
VAN DER VALK, P.G.M. *see* VAN DUIJNHOVEN-AVONTUUR, W.M.G.
VAN DOOREN-GREEBE, R.J. *see* STEIJLEN, P.M.
VAN DOOREN-GREEBE, R.J., KUIJPERS, A.L.A., MULDER, J., DE BOO, TH. and VAN DE KERKHOF, P.C.M. Methotrexate revisited: effects of long-term treatment in psoriasis, 204
VAN DUIJNHOVEN-AVONTUUR, W.M.G., ALKEMADE, J.A.C., SCHALKWIJK, J., MIER, P.D. and VAN DER VALK, P.G.M. The inflammatory and proliferative response of normal skin in a model for acute chemical injury: ornithine decarboxylase induction as a common feature in various models for acute skin injury, 725
VAN JOOST, TH., HEULE, F., KORSTANJE, M., VAN DEN BROEK, M.J.T.B., STENVELD, H.J. and VAN VLOTEN, W.A. Cyclosporin in atopic dermatitis: a multicentre placebo-controlled study, 634
VAN LOVEREN, H. *see* NORVAL, M.
VAN NEER, F. *see* ZEMELMAN, V.
VAN VLIJMEN, I.M.J.J. *see* STEIJLEN, P.M.
VAN VLOTEN, W.A. *see* VAN JOOST, TH.
VAN VOOREN, J.-P. *see* MICHILS, A.
VENNING, V.A. *see* AKINDURO, O.M.
VENOT, A. *see* LARNIER, C.
VERAART, J.C.J.M., HAMULYAK, K., NEUMANN, H.A.M. and ENGELEN, J. Increased plasma activity of plasminogen activator inhibitor 1 (PAI-1) in two patients with Klinefelter's syndrome complicated by leg ulcers, 641
VERDIER-SEVRAIN, S., JOLY, P., THOMINE, E., BELANYI, PH., GILBERT, D., TRON, F. and LAURET, PH. Thiopronine-induced herpetiform pemphigus: report of a case studied by immunoelectron microscopy and immunoblot analysis, 238
VERSTRAETEN, A.A. *see* STEIJLEN, P.M.
VESTEY, J.P. *see* YIRRELL, D.L.
VIRÁGH, SZ. *see* TÖRÖK, L.
VOYCE, M.E. *see* DERRICK, E.K.

WACH, F., HEIN, R., KUHN, A., LANDTHALER, M., KRIEG, T. and ECKERT, F. Immunohistochemical demonstration of myoepithelial cells in sweat gland carcinomas, 432
WALKER, N.P.J. *see* DELANEY, T.A.
WALTON, S. *see* KO, C.B.
WANG, I. *see* SVANBERG, K.
WANG, Q., DICKSON, G.R., ABRAM, W.P. and CARR, K.E. Electron irradiation slows down wound repair in rat skin: a morphological investigation, 551
WARD, K.A. and MOSS, C. Evidence for genetic homogeneity of Setleis' syndrome and focal facial dermal dysplasia, 645
WATSON, R.M., SCHEEL, J.N., PETRI, M., KAN, J.S., PROVOST, T.T., RATRIE, H. III and CALLAN, N.A. Neonatal lupus erythematosus. Report of serological and immunogenetic studies in twins discordant for congenital heart block, 342
WEBSTER, A.D.B. *see* LEVINE, T.S.
WEBSTER, G.F. *see* HEGEMANN, L.
WEEDON, D. *see* HUNT, M.J.
WEIDINGER, G. *see* NOLTING, S.
WELBURY, R. *see* SCULLY, C.
WELLER, R. *see* PHILLIPS, W.G.
WESTELINCK, K.J. *see* DE KEYSER, P.
WEYRER, K. *see* ZELGER, B.
WHITE, M.I., CURRIE, J. and WILLIAMS, M.P. A study of the tissue iron status of patients with alopecia areata, 261
WHITTAKER, S.J. *see* HILL, V.A.
WICKE, K. *see* GRASSEGGER, A.
WIDAGDO, S. *see* BUDIMULJA, U.
WIDJANARKO, P. *see* BUDIMULJA, U.
WILHELM, K-P., SAMBLEBE, M. and SIEGERS, C-P. Quantitative *in vitro* assessment of N-alkyl sulphate- induced cytotoxicity in human keratinocytes (HaCaT). Comparison with *in vivo* human irritation tests, 18
WILKINSON, J.D. *see* POSKITT, L.
WILLIAMS, D., PROFETA, K. and STENN, K.S. Isolation and culture of follicular papillae from murine vibrissae: an introductory approach, 290
WILLIAMS, M.P. *see* WHITE, M.I.
WINBERG, J.-O. *see* GEDDE-DAHL, T. Jr
WINCHESTER, B. *see* JUDGE, M.R.
WINDEBANK, K. *see* DE BERKER, D.
WOJNAROWSKA, F. *see* DE BERKER, D.
WOJNAROWSKA, F. *see* KIRTSCHIG, G.
WOLFF, K. *see* BINDER, M.
WONG, T.-W., CHIU, H.-C. and YIP, K.-M. Intralesional interferon α-2b has no effect in the treatment of keloids, 683
WONG, W.K. *see* TAY, Y.K.
WOOD, E.J. *see* KNAGGS, H.E.
WOOLDRIDGE, M.A. *see* PRASAD, R.S.
WYDIANTO *see* BUDIMULJA, U.

YAGI, H., OGAI, M., IZUMI, T., EBIHARA, T., SUGIURA, M., TOKURA, Y. and TAKIGAWA, M. Cutaneous T-cell lymphoma with massive co-infiltration of polyclonal B cells, 226
YAMAZAKI, S. *see* SAITO, H.
YAMAZAKI, S., KATAYAMA, I., KURUMAJI, Y., YOKOZEKI, H. and NISHIOKA, K. Contact urticaria induced by mexiletine hydrochloride in a patient receiving iontophoresis, 538
YANADORI, A. *see* SAITO, H.
YEE, K.C. and CUNLIFFE, W.J. Progesterone-induced urticaria: response to buserelin, 121
YELL, J.A., BURGE, S.M. and DEAN, D. Cantharidin-induced acantholysis: adhesion molecules, proteases, and related proteins, 148
YERNAULT, J.-C. *see* MICHILS, A.
YIP, J. *see* LAYTON, A.M.
YIP, K.-M. *see* WONG, T.-W.
YIRRELL, D.L., VESTEY, J.P. and NORVAL, M. Immune responses of patients to orf virus infection, 438
YOKOZEKI, H. *see* YAMAZAKI, S.
YOUNG, M.J. *see* RUSSELL, S.
YOUNG-HO WON, SAUDER, D.N. and MCKENZIE, R.C. Cyclosporin A inhibits keratinocyte cytokine gene expression, 312

ZAIM, M.T. *see* FLEMING, T.E.
ZAKI, I. *see* SCERRI, L.
ZELGER, B. *see* ZELGER, B.
ZELGER, B., SEPP, N., WEYRER, K., GRÜNEWALD, K. and ZELGER, B. Syringotropic cutaneous T-cell lymphoma: a variant of mycosis fungoides?, 765
ZEMELMAN, V., VAN NEER, F., ROBERTS, N., PATEL, P., LANGTRY, J. and STAUGHTON, R.C.D. Epidermal Langerhans cells, HIV-1 infection and psoriasis, 307
ZHANG, L.-Q., LAATO, M., MUONA, P., KALIMO, H. and PELTONEN, J. Normal and hypertrophic scars: quantification and localization of messenger RNAs for type I, III and VI collagens, 453
ZOUBOULIS, CH.C. *see* BLUME-PEYTAVI, U.